


L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-  
 [(4-hydroxy-4-methylpentyl)thio]-1-methylethyl]-7a-methyl-4H-inden-4-  
 ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C28 H46 O3 S

Absolute stereochemistry.  
 Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):26

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 5-[(2E)-[(1R,3aS,7aR)-1-[(1R)-2-  
 [2-(1-hydroxy-1-methylethyl)phenoxy]-1-methylethyl]-7a-methyl-4H-inden-4-  
 ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C31 H44 O4

Absolute stereochemistry.  
 Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 5-[(2E)-[(1R,3aS,7aR)-1-[(1R)-2-[(3,3-difluoro-4-  
 hydroxy-4-methylpentyl)oxy]-1-methylethyl]octahydro-7a-methyl-4H-inden-4-  
 ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)

ylidene]ethylidene]-4-methylene-, (1R,3S,5Z)- (9CI)  
 MF C28 H44 F2 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 5-[(2E)-[(1R,3aS,7aR)-1-[(1R)-2-[4-(1-ethyl-1-hydroxypropyl)phenoxy]-1-methylethyl]octahydro-7a-methyl-4H-inden-4-ylidene]ethylidene]-4-methylene-, (1R,3S,5Z)- (9CI)  
 MF C33 H48 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-(3-hydroxy-3-methylbutoxy)-1-methylethyl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C27 H44 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 5-[(2E)-[(1R,3aS,7aR)-1-[(1R)-2-[(3-ethyl-3-hydroxypentyl)sulfonyl]-1-methylethyl]octahydro-7a-methyl-4H-inden-4-ylidene]ethylidene]-4-methylene-, (1R,3S,5Z)- (9CI)  
 MF C29 H48 O5 S


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-[(5-hydroxy-5-methylhexyl)oxy]-1-methylethyl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C29 H48 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-(2-hydroxyphenoxy)-1-methylethyl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C28 H38 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-[4-(1-hydroxy-1-methylethyl)phenoxy]-1-methylethyl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C31 H44 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 5-[(2E)-[(1R,3aS,7aR)-1-[(1R)-2-[(S)-(3-ethyl-3-hydroxypentyl)sulfinyl]-1-methylethyl]octahydro-7a-methyl-4H-inden-4-ylidene]ethylidene]-4-methylene-, (1R,3S,5Z)- (9CI)  
 MF C29 H48 O4 S


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 5-[(2E)-[(1R,3aS,7aR)-1-[(1R)-2-[(R)-(3-ethyl-3-hydroxypentyl)sulfinyl]-1-methylethyl]octahydro-7a-methyl-4H-inden-4-ylidene]ethylidene]-4-methylene-, (1R,3S,5Z)- (9CI)  
 MF C29 H48 O4 S


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 5-[(2E)-[(1R,3aS,7aR)-1-[(1R)-2-[(3-ethyl-3-hydroxypentyl)thio]-1-methylethyl]octahydro-7a-methyl-4H-inden-4-ylidene]ethylidene]-4-methylene-, (1R,3S,5Z)- (9CI)  
 MF C29 H48 O3 S


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 5-[[1-[2-[(4-ethyl-4-hydroxy-2-hexynyl)oxy]-1-methylethyl]octahydro-7a-methyl-4H-inden-4-ylidene]ethylidene]-4-methylene-, [1R-[1.alpha.(R\*),3a.beta.,4E(1R\*,3S\*,5Z),7a.alpha.]]- (9CI)  
 MF C30 H46 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 5-[(2E)-[(1R,3aS,7aR)-1-[(1R)-2-[3-(1-ethyl-1-hydroxypropyl)phenoxy]-1-methylethyl]octahydro-7a-methyl-4H-inden-4-ylidene]ethylidene]-4-methylene-, (1R,3S,5Z)- (9CI)  
 MF C33 H48 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1S)-2-[(2-hydroxy-2-methylpropyl)thio]-1-methylethyl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C26 H42 O3 S


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 5-[(2E)-[(1R,3aS,7aR)-1-[(1R)-2-[(3-ethyl-3-hydroxypentyl)oxy]-1-methylethyl]octahydro-7a-methyl-4H-inden-4-ylidene]ethyldiene]-4-methylene-, (1R,3S,5Z)- (9CI)  
 MF C29 H48 O4

Absolute stereochemistry.  
 Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-[(3-hydroxy-3-methylbutyl)thio]-1-methylethyl]-7a-methyl-4H-inden-4-ylidene]ethyldiene]-, (1R,3S,5Z)- (9CI)  
 MF C27 H44 O3 S

Absolute stereochemistry.  
 Double bond geometry as shown.






\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-[[3-(1-hydroxy-1-methylethyl)phenyl]thio]-1-methylethyl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C31 H44 O3 S


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-[[3-(1-hydroxy-1-methylethyl)phenoxy]-1-methylethyl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C31 H44 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-7a-methyl-1-[(1R)-1-methyl-2-[[5,5,5-trifluoro-4-hydroxy-4-(trifluoromethyl)-2-pentynyl]oxy]ethyl]-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C28 H36 F6 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-[[2E)-4-hydroxy-4-methyl-2-pentenyl]oxy]-1-methylethyl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C28 H44 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-  
 [(4-hydroxy-4-methyl-2-pentynyl)oxy]-1-methylethyl]-7a-methyl-4H-inden-4-  
 ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C28 H42 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-  
 [[3-(hydroxymethyl)phenyl]thio]-1-methylethyl]-7a-methyl-4H-inden-4-  
 ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C29 H40 O3 S


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 5-[(2E)-[(1R,3aS,7aR)-1-[(1R)-2-[2-(1-ethyl-1-hydroxypropyl)phenoxy]-1-methylethyl]octahydro-7a-methyl-4H-inden-4-ylidene]ethylidene]-4-methylene-, (1R,3S,5Z)- (9CI)  
 MF C33 H48 O4


Absolute stereochemistry.  
 Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS  
 IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-(3-hydroxyphenoxy)-1-methylethyl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)  
 MF C28 H38 O4

Absolute stereochemistry.  
 Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS

IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-[3-(hydroxymethyl)phenoxy]-1-methylethyl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)

MF C29 H40 O4

Absolute stereochemistry.  
Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L4 27 ANSWERS REGISTRY COPYRIGHT 2003 ACS

IN 1,3-Cyclohexanediol, 4-methylene-5-[(2E)-[(1R,3aS,7aR)-octahydro-1-[(1R)-2-[(4-hydroxy-4-methylpentyl)oxy]-1-methylethyl]-7a-methyl-4H-inden-4-ylidene]ethylidene]-, (1R,3S,5Z)- (9CI)

MF C28 H46 O4

Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

ALL ANSWERS HAVE BEEN SCANNED